

**REMARKS**

This application pertains to a novel process for the thermal decoking of a zeolite catalyst.

Claims 1-15 are pending, although claims 10 and 11 are withdrawn from consideration as drawn to a nonelected invention. The claims under examination are therefore claims 1-9 and 12-15.

The Examiner has imposed a restriction requirement between claims 1-9, 12-15 (denoted Group I by the Examiner) and claims 10 & 11 (denoted Group II by the Examiner), and Applicants provisionally elected the claims of Group I, claims 1-9 and 12-15. Applicants now affirm said election.

It is respectfully requested that upon the allowance of elected subject matter, the claims drawn to the nonelected subject matter be rejoined.

The Examiner appears to be making a further restriction requirement in the instant office action, but it is not entirely clear what the restriction requirement is. In this further restriction requirement the Examiner identifies Group I as claims 1-9 and 12-15, which Applicants have already elected, and Group II as claims 14 and 15, which are, however, a part of Group I. Further, the Examiner refers to claims 14 and 15 as being directed to apparatus; but said claims are process claims, not apparatus claims. It therefore appears that this apparent 2<sup>nd</sup> restriction requirement is really just an

articulation of the one and only "first" restriction requirement. In any case, Applicants have already elected Group I. To the extent necessary, Applicants again elect Group I.

Clarification is requested however.

The Examiner indicates that no drawing was submitted in the National Stage. There is, however, a drawing attached to the English translation that was filed July 13, 2004. If the Examiner will check the English language copy of the specification which is shown on PAIR as the very first document at to bottom of the image file wrapper which is entitled "Documents submitted with 371 Applications", she will find the drawing as the last page of the specification (i.e., after the claims). Accordingly, it is believed that no further drawing is required and the requirement that Applicants submit a drawing should be withdrawn.

Claim 9 stands rejected under 35 U.S.C. 112, second paragraph, because the Examiner views the expression "the greater amount" as indefinite. This expression is, however, widely used in U.S. Patent claim practice, and is generally accepted as being definite. A substance can clearly be divided into two parts, one being the "greater amount" and the other being the "lesser" amount. The "greater" amount is clearly understood to be larger than the "lesser" amount.

Applicants did a search of patents on the USPTO web site for claims which included the expression "the greater amount". This search turned up 2,615 patents

which had claims that included that expression. A copy of the first 50 "hits" is annexed hereto.

Clearly the expression "the greater amount" is acceptable claim language, and the rejection of claim 9 under 35 U.S.C. 112, second paragraph, should be withdrawn.

If, however, the Examiner would prefer, Applicants would be willing to substitute --the major part-- for "the greater amount" (see col. 9, line 32 of the Grosch reference).

Turning now to the art rejections, claims 1-4, 6 and 13 stand rejected under 35 U.S.C. 102(b) as anticipated by Grosch et al (US 6,380,119).

Initially, it must be noted that Applicants' claims pertain to a process for **decoking** an **aluminosilicate** zeolite catalyst used in a process of forming lower olefins from higher olefins, or of forming methanol from dimethyl ether.

Grosch, by contrast, has absolutely nothing to do with decoking, or with aluminosilicate catalysts.

Although Grosch acknowledges the existence of aluminosilicate catalysts at column 2, line 42, and professes that his process can be used with any zeolite catalysts at lines 40 and 41, the fact of the matter is that the entire text of Grosch's disclosure is

directed to titanium zeolites.

In addition, Grosch is concerned with regenerating (not decoking) catalysts which have become deactivated in the epoxidation of olefins with hydroperoxide (col. 1, line 6). There is no evidence provided by the Examiner that coking is a problem with catalysts used in this process, and therefore no evidence that any decoking is ever needed.

Grosch is concerned with the removal of organic coatings that have formed on the titanium zeolite catalysts used in the epoxidation processes (col. 2, lines 11-12). This is done by first, in a Stage I, heating the catalyst to a temperature at which the organic coatings begin to decompose (col. 9, lines 17-22). The major part of the organic coatings is carbonized to form hydrogen, water and carbon-containing substances, which are removed (col. 9, lines 33-38). In stage II, the carbonized organic coatings (which apparently were not completely removed in stage I) are burned off (col. 9, lines 53-54). In stage III the oxygen content of the gas stream is increased to finish off the burning of the carbonized coatings. Optionally, the catalyst is then cooled in a stage IV, as the Examiner points out.

By contrast Applicants' process, which concerns a different catalyst that has been subjected to a different history, i.e. coked; not merely coated with an organic coating, first rinses any organic coatings off of the catalyst and expels them from the reactor in a nitrogen stream that has been heated to an entrance temperature of from

460°C to 500°C.

After this is done, Applicants, in a second step, cool the catalyst to a temperature of less than 460°C.

**There is absolutely no teaching or suggestion anywhere in the Grosch reference about cooling the catalyst after his stage I to a temperature which is below the temperature at which stage I was conducted and before introducing oxygen.** Grosch, by contrast, in stage II just adds oxygen to the gas stream that is already entering his reactor in stage I, without any intermediate cooling step. See, for example, Grosch's Example 4, where the deactivated catalyst was heated to 500 °C in a stream of nitrogen gas and then the oxygen content of the nitrogen gas stream was increased, i.e., at 500°C.

Although Grosch describes his treatment step I as being conducted over a temperature range of about 250 - 800°C, he also describes his stage I as operating over that same temperature range, and nowhere teaches, suggests or even implies that any intermediate cooling take place before stage II is commenced. See column 9, lines 17-50.

It is respectfully pointed out that removing a hydrocarbon coating, as in the Grosch reference, is quite different in character than the burning off of coke deposited on/in an aluminosilicate zeolite catalyst, and may be referred to as "oxidation assisted

desorption of hydrocarbons". The main difference between the two processes is the extent of exothermicity (i. e. , heat evolution) experienced during the process. The oxidation assisted desorption of hydrocarbons, as in the Grosch reference, can be expected to have a small to medium degree of exothermicity; therefore, a separate cooling step in advance of the oxygen addition is not necessary. In contrast, in burning off the coke deposited on/in a aluminosilicate zeolite catalyst, cooling down the catalyst prior to oxygen addition is essential, since the exothermicity of the reaction is high, and may lead to extreme overtemperatures in the catalyst particles, leading to deterioration or, in the worst case, destruction of the catalytic activity. Moreover, since the normal operating temperature of the catalyst is quite close to its upper temperature limit , cooling down from normal operating temperature to the (start) temperature of decoking prior to oxygen addition is important for not exceeding the maximum catalyst temperature.

Accordingly, Applicants' claims are directed to removing a different substance (coke vs. organic coatings) from a different catalyst (aluminosilicate vs. titanium zeolites) by a different process (intermediate cooling step vs. no intermediate cooling step) than Grosch is. The Grosch reference therefore cannot in any way be read as anticipating or suggesting the process defined in Applicants' claims, and the rejection of claims 1-4, 6 and 13 under 35 U.S.C. 102(b) as anticipated by Grosch et al (US 6,380,119) should be withdrawn.

Claims 5 and 14-15 stand rejected under 35 U.S.C. 103(a) as obvious over Grosch et al. US 6,380,119 in view of Crocco et al US 5,741,749.

The differences between the invention defined by Applicants' claims and anything that can be found in the Grosch reference have been discussed above. The Examiner turns to the Crocco reference for a teaching that heating conditions can be optimized without undue experimentation. The general statement that heating conditions can be optimized without undue experimentation cannot in any way overcome any of the differences discussed above with respect to the Grosch reference. Moreover, there is nothing in either reference that would suggest that the "heating conditions" of Grosch are a variable that is "optimizable".

The rejection of claims 5 and 14-15 under 35 U.S.C. 103(a) as obvious over Grosch et al. US 6,380,119 in view of Crocco et al US 5,741,749 should therefore now be withdrawn.

Claims 7-9 stand rejected under 35 U.S.C. 103(a) as obvious over Grosch et al US 6,380,119. The differences between Applicants' claims and anything that can be found in the Grosch reference have been discussed above, and that discussion applies to the present rejection as well as to the one above. The Examiner contends that one would be motivated to modify the invention of Grosch by employing recycle streams and thermal treatment of contaminated nitrogen streams because they are within the level of skill in the art. The issue is not whether or not something is or is not within the level of

skill in the art, but whether or not there is some reason found in the references to make the modifications proposed by the Examiner. Simply being capable of doing something does not provide the mental seed that would drive one to do it. Moreover, even if one were to somehow recycle or thermally treat Gosch's nitrogen streams, Applicants' invention would not be arrived at, for the reasons given above.

The rejection of claims 7-9 under 35 U.S.C. 103(a) as obvious over Gosch et al US 6,380,119 should therefore now be withdrawn.

Finally, claim 12 stands rejected under 35 U.S.C. 103(a) as obvious over Gosch et al US 6,380,119 in view of Moeller et al US 5,981,819.

The differences between Applicants' claims and anything that can be found in the Gosch reference have been discussed above, and that discussion applies to the present rejection as well as to the one above. The Examiner contends that the process of Gosch is capable of decoking the catalyst of the Moeller process because the method of Moeller is substantially similar to the process of Gosch because aluminosilicates must be decoked. The need to decoke aluminosilicates will not in any way overcome the differences between Applicants' process and anything that can be found in the Gosch reference. In addition, the mere fact that aluminosilicates need to be decoked does not suggest to anyone that Gosch's process is capable of decoking Moeller's catalyst. Nowhere does Gosch teach or suggest anything at all about decoking a catalyst or even of any treatment of an aluminosilicate for anything at all.



**RECEIVED  
CENTRAL FAX CENTER****MAR 25 2008**

The rejection of claim 12 under 35 U.S.C. 103(a) as obvious over Grosch et al US 6,380,119 in view of Moeller et al US 5,981,819 should therefore now be withdrawn.

In view of the present remarks it is believed that claims 1-15 are now in condition for allowance. Reconsideration of said claims by the Examiner is respectfully requested and the allowance thereof is courteously solicited.


**CONDITIONAL PETITION FOR EXTENSION OF TIME**

If any extension of time for this response is required, Appellants request that this be considered a petition therefor. Please charge the required petition fee to Deposit Account No. 14-1263.

**ADDITIONAL FEE**

Please charge any insufficiency of fee or credit any excess to Deposit Account No. 14-1263.


Respectfully submitted,  
NORRIS, McLAUGHLIN & MARCUS

By   
William C. Gerstenzang  
Reg. No. 27,552

WCG/tmcc

875 Third avenue- 18<sup>th</sup> Floor  
New York, New York 10022  
(212) 808-0700

I hereby certify that this correspondence is being transmitted via facsimile, no. 571-273-8300 to the United States Patent and Trademark Office, addressed to: Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on March 25, 2008.

By   
William C. Gerstenzang  
Date March 25, 2008

enclosures: PAIR Image File Wrapper showing location of drawing  
PTO Website printout of patents having "the greater amount" in claims.

## United States Patent &amp; Trademark Office



## United States Patent and Trademark Office

[Home](#) | [Site Index](#) | [Search](#) | [FAQ](#) | [Glossary](#) | [Guides](#) | [Contacts](#) | [eBusiness](#) | [eBiz Alerts](#) | [News](#) | [Help](#)
[Portal Home](#) | [Patents](#) | [Trademarks](#) | [Other](#) | [Sign-Off Authenticated Session](#)

## Patent eBusiness

- [Electronic Filing](#)
- [Patent Application Information \(PAIR\)](#)
- [Patent Ownership](#)
- [Fees](#)
- [Supplemental Resources & Support](#)

## Patent Information

## Patent Guidance and General Info

- [Codes, Rules & Manuals](#)
- [Employee & Office Directories](#)
- [Resources & Public Notices](#)

## Patent Searches

## Patent Official Gazette

- [Search Patents & Applications](#)
- [Search Biological Sequences](#)
- [Copies, Products & Services](#)

## Other

- [Copyrights](#)
- [Trademarks](#)
- [Policy & Law](#)
- [Reports](#)

## Secured Patent Application Information Retrieval

[Download](#)
[Order Certified Application As Filed](#)

10/501,449

Method for thermally decoking a zeolite catalyst



This application is officially maintained in electronic form. To View: Click the desired Check the desired document(s) and click Start Download.

## Available Documents

Mail Room Date	Document Code	Document Description	Doc
12-27-2007	CTNF	Non-Final Rejection	F
12-27-2007	CTNF	Non-Final Rejection	F
12-27-2007	892	List of references cited by examiner	F
12-27-2007	1449	List of References cited by applicant and considered by examiner	F
12-27-2007	FWCLM	Index of Claims	F
12-27-2007	SRNT	Examiner's search strategy and results	F
12-27-2007	BIB	Bibliographic Data Sheet	F
10-26-2005	WFEE	Fee Worksheet (PTO-06)	F
09-12-2005	EBCC.AD	Notice of Change of Address placed in File Wrapper due to EBC Customer Number update	F
01-03-2005	M903	Notice of DO/EO Acceptance Mailed	F
12-28-2004	LET.	Miscellaneous Incoming Letter	F
12-28-2004	OATH	Oath or Declaration filed	F
12-28-2004	XT/	Extension of Time	F
12-28-2004	BIB	Bibliographic Data Sheet	F
09-03-2004	M905	Notice of DO/EO Missing Requirements Mailed	F
07-13-2004	TRNA	Transmittal of New Application	F
07-13-2004	136A	Authorization for Extension of Time all replies	F
07-13-2004	SPEC	Specification	F
07-13-2004	CLM	Claims	F
07-13-2004	ABST	Abstract	F
07-13-2004	WFEE	Fee Worksheet (PTO-06)	F
07-13-2004	WFEE	Fee Worksheet (PTO-06)	F
07-13-2004	A.PE	Preliminary Amendment	F
07-13-2004	SPEC	Specification	F
07-13-2004	CLM	Claims	F
07-13-2004	REM	Applicant Arguments/Remarks Made in an Amendment	F
07-13-2004	ADS	Application Data Sheet	F

## United States Patent &amp; Trademark Office

Page 2 of 2

07-13-2004	IDS	Information Disclosure Statement (IDS) Filed	F
07-13-2004	FOR	Foreign Reference	
07-13-2004	FOR	Foreign Reference	
07-13-2004	FOR	Foreign Reference	
07-13-2004	FOR	Foreign Reference	
07-13-2004	FOR	Foreign Reference	
07-13-2004	FOR	Foreign Reference	
07-13-2004	FOR	Foreign Reference	
07-13-2004	FOR	Foreign Reference	
07-13-2004	IMIS	Miscellaneous Internal Document	F
07-13-2004	371P	Documents submitted with 371 Applications	F
07-13-2004	371P	Documents submitted with 371 Applications	F
07-13-2004	371P	Documents submitted with 371 Applications	F

DRAWING

If you need help:

- Call the Patent Electronic Business Center at (866) 217-9197 (toll free) or e-Patent Application Information Retrieval (PAIR).
- Send general questions about USPTO programs to the USPTO Contact Center
- If you experience technical difficulties or problems with this application, please contact the USPTO Support or call 1 800-786-9199.

You can suggest USPTO webpages or material you would like featured on this section by E-mail to the [webmaster@uspto.gov](mailto:webmaster@uspto.gov). While suggestions will be considered and may lead to other improvements on the website.

[Home](#) | [Site Index](#) | [Search](#) | [eBusiness](#) | [Help](#) | [Privacy Policy](#)

Patent Database Search Results: ACLM/"the greater amount" in US Patent Collection

**USPTO PATENT FULL-TEXT AND IMAGE DATABASE**[Home](#)[Quick](#)[Advanced](#)[Pat Num](#)[Help](#)[Next List](#)[Bottom](#)[View Cart](#)

Searching US Patent Collection...

Results of Search in US Patent Collection db for:

ACLM/"the greater amount": 2615 patents.

Hits 1 through 50 out of 2615

[Next 50 Hits](#)[Jump to](#)[Refine Search](#) ACLM/"the greater amount"

PAT. NO.	Title
-------------	-------

- |    |                           |   |
|----|---------------------------|---|
| 1  | <a href="#">7,344,946</a> | <a href="#">T Structure for amorphous carbon based non-volatile memory</a>  |
| 2  | <a href="#">7,344,904</a> | <a href="#">T Method of fabricating laser diode</a>   |
| 3  | <a href="#">7,342,477</a> | <a href="#">T Inductor</a>  |
| 4  | <a href="#">7,341,985</a> | <a href="#">F 2-Hydroxy-3-alkoxypropyl sulfides, sulfones, and sulfoxides: new surface active agents</a>  |
| 5  | <a href="#">7,341,603</a> | <a href="#">T Prosthetic foot with energy transfer including variable orifice</a>   |
| 6  | <a href="#">7,337,298</a> | <a href="#">T Efficient class memory management</a>   |
| 7  | <a href="#">7,336,041</a> | <a href="#">T Automatic light dimmer for electronic and magnetic ballasts (fluorescent or HID)</a>  |
| 8  | <a href="#">7,335,012</a> | <a href="#">T Apparatus for fabricating reinforced composite materials</a>  |
| 9  | <a href="#">7,334,143</a> | <a href="#">T Computer power conservation apparatus and method that enables less speculative execution during light processor load based on a branch confidence threshold value</a> |
| 10 | <a href="#">7,333,511</a> | <a href="#">T Dynamically channelizable packet transport network</a>  |
| 11 | <a href="#">7,333,114</a> | <a href="#">T System and method for parallel execution of data generation tasks</a>   |
| 12 | <a href="#">7,332,049</a> | <a href="#">T Method for fabricating reinforced composite materials</a>   |
| 13 | <a href="#">7,331,370</a> | <a href="#">T Progressive resistance lifting mechanism for a window covering</a>  |
| 14 | <a href="#">7,331,263</a> | <a href="#">T Surgical screwdrivers with torque control and methods of use</a>  |
| 15 | <a href="#">7,331,232</a> | <a href="#">T Measurement method and biosensor apparatus using resonator</a>  |
| 16 | <a href="#">7,331,107</a> | <a href="#">T Pivot axis for a shaving cartridge</a>  |
| 17 | <a href="#">7,329,101</a> | <a href="#">T Ceramic composite with integrated compliance/wear layer</a>   |
| 18 | <a href="#">7,327,681</a> | <a href="#">T Admission control method in internet differentiated service network</a>   |
| 19 | <a href="#">7,326,441</a> | <a href="#">F Coating systems containing beta phase and gamma-prime phase nickel aluminide</a>  |
| 20 | <a href="#">7,324,212</a> | <a href="#">T Optical encoder having slanted optical detector elements for harmonic suppression</a>   |
| 21 | <a href="#">7,320,968</a> | <a href="#">T Pharmaceutical composition</a>  |
| 22 | <a href="#">7,320,248</a> | <a href="#">T Method and apparatus for determining imbalance correction weights for a rotating body</a>   |

T

## Patent Database Search Results: ACLM/"the greater amount" in US Patent Collection

Page 2 of 2

- 23 7,319,885 Radio communication apparatus and method
- 24 7,319,027 T Thermostable Omega-Transaminases
- 25 7,317,130 T Method for the hydroformylation of olefinically unsaturated compounds, especially olefins, in the presence of cyclic carbonic acid esters
- 26 7,316,464 T Ink jet print apparatus and ink jet print method
- 27 RE39,994 T Polyetheresteramides and compositions of antistatic polymers containing the same
- 28 7,314,428 T Downshift control for automotive automatic transmission
- 29 7,312,962 T Intelligent overcurrent protection for power supplies
- 30 7,310,738 T Multifunctional control of cooling systems for computers
- 31 7,310,627 T Method of searching for text in browser frames
- 32 7,309,726 T Straight-oil finishing composition and fiber yarn treated therewith
- 33 7,308,361 T Method of coordinating and stabilizing the delivery of wind generated energy
- 34 7,303,941 T Methods and apparatus for providing a power signal to an area array package
- 35 7,303,650 T Splittable cloth like tissue webs
- 36 7,300,562 T Platinum alloy using electrochemical deposition
- 37 7,297,835 T Absorbent article featuring a temperature change member
- 38 7,297,400 T Curable pressure sensitive adhesive compositions
- 39 7,293,400 T System and method for sensor validation and fusion
- 40 7,293,285 T Method and system for providing field scalability across a storage product family
- 41 7,292,690 T Video scene change detection
- 42 7,292,095 T Notch filter for ripple reduction in chopper stabilized amplifiers
- 43 7,292,024 T Defect mitigation in display panels
- 44 7,291,352 T Methods and compositions for oral delivery of Areca and mate' or theobromine
- 45 7,290,387 T Control device of internal combustion engine
- 46 7,289,633 T System and method for integral transference of acoustical events
- 47 7,288,784 T Structure for amorphous carbon based non-volatile memory
- 48 7,288,091 T Anti-microbial electrosurgical electrode and method of manufacturing same
- 49 7,287,509 T Direct injection alcohol engine with variable injection timing
- 50 7,287,145 T System, apparatus and method for reclaiming memory holes in memory composed of identically-sized memory devices

<a href="#">Next List</a>	<a href="#">Top</a>	<a href="#">View Cart</a>		
<a href="#">Home</a>	<a href="#">Quick</a>	<a href="#">Advanced</a>	<a href="#">Pat Num</a>	<a href="#">Help</a>